

**Yield by Variety**  
**Grower: Sample Farmer**  
**1 Fields (158.5 ac)**

---

**Corn ( 2013 )**

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
FS/GROWMARK - FS 66JV4 RIB	48.6	254.4	19.44 %	15 - 350	12,352
DEKALB - DKC61-88RIB	107.3	239.1	17.20 %	16 - 350	25,645
<b>All</b>	<b>155.8</b>	<b>243.8</b>	<b>17.90 %</b>	<b>0 - 350</b>	<b>37,997</b>

**Soybeans ( 2012 )**

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
N/A	161.5	60.5	12.37 %	5 - 150	9,763
<b>All</b>	<b>161.5</b>	<b>60.5</b>	<b>12.37 %</b>	<b>0 - 150</b>	<b>9,763</b>

**Yield by Soil Type**  
**Grower: Sample Farmer**  
**1 Fields (158.5 ac)**

**Corn ( 2013 )**

Soil Type	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
Elburn silt loam, 0 to 2 percent slopes (198A)	23.3	259.3	18.24 %	15 - 350	6,048
Plano silt loam, 0 to 2 percent slopes (199A)	4.1	258.8	18.58 %	80 - 350	1,068
Knight silt loam, 0 to 2 percent slopes (191A)	8.6	257.3	18.98 %	63 - 350	2,205
Plano silt loam, sandy substratum, 5 to 10 percent slopes, eroded (748C2)	26.8	254.4	17.86 %	17 - 350	6,812
Tama silt loam, very deep to sand, 2 to 5 percent slopes (737B)	16.2	250.9	17.60 %	16 - 350	4,077
Buckhart silt loam, 0 to 2 percent slopes (705A)	8.9	250.2	17.76 %	22 - 350	2,233
Drummer silty clay loam, 0 to 2 percent slopes (152A)	29.2	247.5	18.80 %	25 - 350	7,218
Ipava silt loam, 0 to 2 percent slopes (43A)	31.8	220.5	16.96 %	14 - 350	7,013
Sable silty clay loam, 0 to 2 percent slopes (68A)	8.3	199.3	16.73 %	23 - 350	1,645
<b>All</b>	<b>157.2</b>	<b>243.8</b>	<b>17.90 %</b>	<b>0 - 350</b>	<b>38,318</b>

**Soybeans ( 2012 )**

Soil Type	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
Sable silty clay loam, 0 to 2 percent slopes (68A)	8.4	75.4	13.47 %	8 - 150	637
Ipava silt loam, 0 to 2 percent slopes (43A)	33.0	71.9	12.91 %	10 - 150	2,371
Buckhart silt loam, 0 to 2 percent slopes (705A)	9.2	66.8	12.55 %	45 - 86	612
Tama silt loam, very deep to sand, 2 to 5 percent slopes (737B)	16.5	60.5	12.53 %	6 - 150	998
Drummer silty clay loam, 0 to 2 percent slopes (152A)	29.7	56.9	11.96 %	6 - 150	1,689
Plano silt loam, sandy substratum, 5 to 10 percent slopes, eroded (748C2)	27.9	54.5	12.30 %	5 - 150	1,520
Plano silt loam, 0 to 2 percent slopes (199A)	4.2	54.2	11.75 %	11 - 147	229
Elburn silt loam, 0 to 2 percent slopes (198A)	24.0	53.1	11.94 %	6 - 150	1,271
Knight silt loam, 0 to 2 percent slopes (191A)	8.6	50.6	11.88 %	7 - 150	436
<b>All</b>	<b>161.5</b>	<b>60.5</b>	<b>12.37 %</b>	<b>0 - 150</b>	<b>9,763</b>

**Yield by Variety by Soil Type**  
**Grower: Sample Farmer**  
**1 Fields (158.5 ac)**

Corn (2013)

Buckhart silt loam, 0 to 2 percent slopes (705A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
DEKALB - DKC61-88RIB	8.8	250.2	17.76 %	22 - 350	2,210
<b>All</b>	<b>8.8</b>	<b>250.2</b>	<b>17.76 %</b>	<b>0 - 350</b>	<b>2,210</b>

Elburn silt loam, 0 to 2 percent slopes (198A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
DEKALB - DKC61-88RIB	12.3	261.2	17.55 %	55 - 350	3,221
FS/GROWMARK - FS 66JV4 RIB	10.8	257.2	19.04 %	15 - 350	2,777
<b>All</b>	<b>23.1</b>	<b>259.3</b>	<b>18.24 %</b>	<b>0 - 350</b>	<b>5,998</b>

Ipava silt loam, 0 to 2 percent slopes (43A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
DEKALB - DKC61-88RIB	31.6	220.5	16.96 %	17 - 350	6,963
<b>All</b>	<b>31.6</b>	<b>220.5</b>	<b>16.96 %</b>	<b>0 - 350</b>	<b>6,963</b>

Knight silt loam, 0 to 2 percent slopes (191A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
DEKALB - DKC61-88RIB	2.2	263.3	17.79 %	65 - 350	573
FS/GROWMARK - FS 66JV4 RIB	6.3	255.6	19.40 %	63 - 350	1,611
<b>All</b>	<b>8.5</b>	<b>257.6</b>	<b>18.99 %</b>	<b>0 - 350</b>	<b>2,184</b>

Sable silty clay loam, 0 to 2 percent slopes (68A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
DEKALB - DKC61-88RIB	8.1	199.5	16.73 %	23 - 350	1,625
<b>All</b>	<b>8.1</b>	<b>199.5</b>	<b>16.73 %</b>	<b>0 - 350</b>	<b>1,625</b>

Drummer silty clay loam, 0 to 2 percent slopes (152A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
FS/GROWMARK - FS 66JV4 RIB	16.3	251.0	20.07 %	25 - 350	4,088
DEKALB - DKC61-88RIB	12.6	243.2	17.18 %	45 - 350	3,075
<b>All</b>	<b>28.9</b>	<b>247.6</b>	<b>18.81 %</b>	<b>0 - 350</b>	<b>7,164</b>

Plano silt loam, 0 to 2 percent slopes (199A)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
DEKALB - DKC61-88RIB	1.4	265.2	17.74 %	217 - 350	359
FS/GROWMARK - FS 66JV4 RIB	2.7	255.6	18.99 %	80 - 314	699
<b>All</b>	<b>4.1</b>	<b>258.8</b>	<b>18.58 %</b>	<b>0 - 350</b>	<b>1,059</b>

Plano silt loam, sandy substratum, 5 to 10 percent slopes, eroded (748C2)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
FS/GROWMARK - FS 66JV4 RIB	9.3	254.7	19.14 %	51 - 350	2,365
DEKALB - DKC61-88RIB	17.3	254.3	17.17 %	17 - 350	4,387
<b>All</b>	<b>26.5</b>	<b>254.4</b>	<b>17.86 %</b>	<b>0 - 350</b>	<b>6,751</b>

Tama silt loam, very deep to sand, 2 to 5 percent slopes (737B)

Hybrid/Variety	Acres	Average		Yield Range	Total(bu)
		Yield (bu/ac)	Moisture		
FS/GROWMARK - FS 66JV4 RIB	3.2	257.9	18.86 %	33 - 350	813
DEKALB - DKC61-88RIB	13.0	249.3	17.29 %	16 - 350	3,231
<b>All</b>	<b>16.1</b>	<b>251.0</b>	<b>17.59 %</b>	<b>0 - 350</b>	<b>4,044</b>

**Yield by Variety by Soil Type**  
**Grower: Sample Farmer**  
**1 Fields (158.5 ac)**

---

Soybeans (2012)